




NEW
EURO 3
COMPLIANT

SAFETY



ENVIRONMENT



COMFORT



HINO DUTRO
DESIGNED TO DELIVER



DUTRO Narrow Cabin

DUTRO Wide Cabin


TRUSTED POWER & PERFORMANCE

Enjoying a reputation of a steady torque and robust toughness, the new Hino 300 Series engines have further evolved to become more reliable by virtue of their low carbon emissions, more power and an enhanced fuel efficiency.



WORLD RENOWNED TRANSMISSION

Delivering a wide range of benefits, such as smooth acceleration, reduced driver fatigue and effortless performance on all types of terrains, thus asserting its genuine durability.



ENVIRONMENT FRIENDLY

Equipped with new Euro-3 compliant engine the new Hino Dutro 300 Series delivers low carbon emissions along with an ideal combination of power and efficiency.

SAFETY

The new Hino Dutro 300 Series has benchmark and leading safety features that ensure the safety of driver and the safety of other road users.

DRIVABILITY

The new Hino Dutro 300 Series is backed by a powerful engine and an improved transmission all of which result in drivability benefits such as more fuel efficiency, lesser vibrations, reduced noise and less physical strain on the driver.

COMFORT

Designed from the driver's perspective the new Hino Dutro 300 Series is equipped with an air conditioned cabin and other features to ensure comfort and enhance the overall driving experience.

HIGHLIGHTED SPECS - HINO DUTRO 300 SERIES

MODEL	WIDE		NARROW	
	XZU 720	XZU 730	XZU 640	XZU 650
ABS	0	0	X	0
SRS Airbag	0	0	0	0
Power Door & Window	0	0	0	0
Head Lamp Leveling	0	0	0	0
Air Conditioner	0	0	X	X
Audio System	0	0	0	0
Telematic Provision	0	0	0	0


SAFETY – OUR UTMOST PRIORITY

Equipped with SRS Airbag, Seatbelts, Warning Buzzer and ABS Brake Assist, the new Hino Dutro 300 Series is the safest light duty truck in its class.



SEAT BELTS

3-Point ELR Seat Belt with warning buzzer.



ABS

ABS helps restrain the vehicle from slipping when driving on slick road surfaces or in the event of sudden braking.



SRS AIRBAGS

Supplemental Restraint System (SRS) Airbags are designed to be deployed in case of a severe front impact.

DUTRO – THE DRIVING COMFORT

The interior concept of the Dutro cab has been designed for functionality and for the comfort of the driver and passengers. Whether it is a long trip or a pleasant short trip, the air-conditioning, power doors and windows, and spaciousness of the cab is what makes Dutro the new benchmark in driving comfort.



HEAD LAMP

Adjustable head lights helps to enhance night time visibility giving a sense of extra comfort.



AIR CONDITION


Intuitively and spaciouly designed the Hino 300 Series cab space has factoryfitted air conditioner & heater for more driving comfort.



POWER DOOR & WINDOW

Newly designed door & window panel add a new sense of driving comfort.

SMART CONNECTIVITY



TELEMATICS (PROVISION)

With Hino Dutro Telematics you can stay connected with your truck and monitor every aspect of your business. Now you can track the performance and also manage your fleet whilst on the go, all from an easy-to-use Interface.


GENERAL SPECIFICATIONS - HINO 300 SERIES

	MODEL	XZU-720R	XZU-730R	XZU-640R	XZU-650R
	Made	Japan	Japan	Japan	Japan
	GVW (Kg)	8,900	8,900	5,500	5,500
Weight	Chassis (Kg)	2,495	2,580	2,148	2,186
	Front (Kg)	1,595	1,630	1,386	1,418
	Rear (Kg)	900	950	762	768
Dimensions	Wheel Base (mm)	3,870	4,200	2,825	3,375
	Overall Length (mm)	6,740	7,250	5,155	5,965
	Overall Width (mm)	1,995	2,055	1,695	1,695
	Overall Height (mm)	2,240	2,260	2,135	2,135
	Front & Rear Overhang (mm)	1,115 / 1,755	1,115 / 1,935	980 / 1,350	980 / 1,580
	Bed Length (ft)	16	18	12	14
Engine	Engine Model	HINO N04C			
	Max. Output (PS @ RPM)	141 @ 2,500		116 @ 2,500	
	Torque (Kg f.m @ RPM)	41 @ 1,600		33 @ 1,600	
	Piston Displacement (L)	4.009			
	Emission	Euro 3			
Vehicle Performance	Max. Speed (Km/h)	126	115	102	
	Gradeability (tan θ %)	38	42	49.2	
Transmission	Transmission Model	RE-61		RE-50	
	No. of Gears	6 Forward & 1 Reverse		5 Forward & 1 Reverse	
	1st Gear Ratio	6.370		5.342	
	Last Gear Ratio	0.703		0.712	
	Final Gear Ratio	5.125	5.571	5.833	
Suspension	Front & Rear	Leaf Springs with shock absorbers			
Brake	Service Brake	Type: Hydraulic system with two leading shoes Control : Vaccum assist, dual circuit			
	Parking Brake	Equipped			
	Exhaust Brake	Equipped			
Steering	Type	Power Steering			
Clutch	Type	Dry Single plate , diaphragm type with dampers springs			
	Diameter (mm)	300			
Tire & Disc	Disc Size	6.0 X 16		5.50 X 16	
	Rear Tire	Dual			
	Tire Size	7.50-16-14PR		7.00-16-14PR	
Electrical	Battery (AH)	65 X 2			
	Alternator (A)	60			
Fuel Tank	Capacity (L)	100			

APPLICATIONS



Garbage Recycling Truck



Mechanical Sweeping



Troop Carrier Truck



Washing Truck



Refrigerated Van



Water Tanker / Sprinkler




Fire Fighting Unit




Mobile Ambulance



Cargo Van Truck



Crane Mounted Truck



Garbage Compactor



Dump Truck



Cargo Truck

BUILT FOR DURABILITY, VERSATILITY & USABILITY

WHEELBASE VARIANTS



XZU720R



XZU730R



XZU640R



XZU650R

A RELIABLE PARTNER FOR ALL YOUR BUSINESS NEEDS

TOTAL SUPPORT SYSTEM

Hino Total Support System keeps all Hino vehicles in optimal condition and makes it easy for customers to maintain their vehicles for a hassle free logistic requirements.

ROUND THE CLOCK SERVICE

Expert and trained staff available 24/7 for breakdown assistance.

GO TO HINO

24/7
VEHICLE
SERVICE
HELPLINE

Your vehicle assistance is just a call away

0304-1114570

HINO CARE



Hinopak Offices:

Karachi (Head Office)

D-2, S.I.T.E., Manghopir Road, Karachi-75700, Pakistan.
Tel: 021-32563510-8, 32563933
Email: marketing@hinopak.com

Lahore

19 Km., Multan Road, Lahore.
Tel: 042-37512003-6
Email: hino-lahore@hinopak.com

Islamabad

1-D, Unit 14, Rehmat Plaza,
2nd Floor, Blue Area, Islamabad. Tel: 051-2276234-5
Email: hino-islamabad@hinopak.com

Quetta

Room Nos. 31, 32 & 33, 2nd Floor, Al-Zain Center,
Near City School, Zarghoon Road, Quetta.
Tel: +92 (81) 2869174
Email: hino-quetta@hinopak.com

Peshawar

Ring Road, Near Kohat Road Bridge,
Peshawar. Tel: 091-2322530
Email: hino-peshawar@hinopak.com

Multan

(Company Owned State-of-the-Art 3S Facility)
Bahawalpur, Muzaffargarh Road (N-70),
Near Hasan Sawali Chowk, Multan.
Tel: 061-4263205-10

Hinopak 3S Dealers:

Hino Frontier

F-44, S.I.T.E., Main Estate Avenue Road, Karachi.
Tel: 021-32008885-6, 32582981 Cell: 0321-2308298
Email: hino_frontier_motors@yahoo.com

Hino Lahore

19 Km., Multan Road, Lahore.
Tel: 042-37514591-3, 37512007
Email: hinolhr@live.com

Hino Twin City

Plot No. 55, Sector-I-10/3, Khayaban-e-Jauhar,
Islamabad. Tel: 051-4447661-2, 4445674-5
Email: info.hinotwincity@gmail.com

Hino Khyber

Main G.T. Road, Chamkani, Near Manzil
Filling Station (PSO), Peshawar. Tel: 091-2602253
Email: gmoperation.htcm@gmail.com

